

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Service - I & CAD Dept- Allegations of irregularities in execution of FDR works due to Neelam cyclone to the Minor Irrigation tanks taken up by the Irrigation & CAD Department during 11/2012 in Korukonda, Rajanagaram and Gokavaram Mandals of East Godavari Dist. - Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram - Placed under suspension under Rule 8 (1) of A.P.Civil Services (CCA) Rules 1991 pending initiation of disciplinary proceedings against him- Orders –Issued.

---

**IRRIGATION & CAD (SER.VII(V&E-2)) DEPARTMENT**

**G.O.Rt.No. 318**

**Dated: 13.05.2014**

\*\*\*

**ORDER**

Whereas it has been brought to the notice of the Government that Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram has committed certain serious irregularities in execution of FDR works to the Minor Irrigation tanks due to Neelam cyclone taken up by the Irrigation & CAD Department during 11/2012 in Korukonda, Rajanagaram and Gokavaram Mandals of East Godavari Dist.

2. And whereas disciplinary proceedings against Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram are being contemplated.

3. And whereas the Government of Andhra Pradesh, after careful consideration of the available material and having due regard to the circumstances of the case, satisfied that it is necessary to place Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram under suspension, pending initiation of disciplinary proceedings.

4. Now, therefore, in exercise of the powers conferred by sub-rule (1) of Rule (8) of APCS(CCA) Rules, 1991, the Government of Andhra Pradesh hereby place the said Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram under suspension from the date of communication of this order and he shall continue to be under suspension in public interest until the conclusion of the disciplinary proceedings.

5. It is further ordered that during the period of this order remains in force Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram shall not leave the Headquarters without obtaining the prior permission of the undersigned.

6. It is further ordered that during the period of suspension, Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram shall be paid subsistence allowance in accordance with FR.53.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**V.NAGI REDDY**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri K. Ramana, Executive Engineer, G.C. Divn., Dowlaiswaram  
(through) the Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

**p.t.o.**

...2...

**Copy to;**

**The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.**

(with a request to serve the order on the individual and furnish the dated acknowledgement )

The Chief Engineer, Minor Irrigation (AR) for information.

I & CAD (Ser.II) Department for information and necessary action.

SF/SC.

**//FORWARDED::BY ORDER//**

**SECTION OFFICER**